

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8

800




Fig. 9

900

(Browser Command Functionality)

Asset Protection Services

Home

My Inbox

My Analysis

Search

Refresh

Help

Feedback

Logout

Number of Records: 8

All Active

Sort

Print

Export

Legend:

Approaching

Overdue

ID	Rec. ID	City	State	Address	Property Value	Date Issued	Recommendation	
1002	122141	Louisville	KY	27 Maple Street	25,000,000	26-Mar-2002	Install sprinklers in the production control	<div><div>1018</div><div>1016</div><div>1014</div></div>
1004		Do	1010	Comments	Implement during 2004	1012		<div><div></div><div>Save</div><div>History</div></div>
1006				Comments				<div><div></div><div>Save</div><div>History</div></div>
1008				Status	Active			<div><div></div><div>Save</div><div>History</div></div>
	122141	Louisville	KY	27 Maple Street	25,000,000	26-Mar-2003	Provide additional safety valves on boiler	
				Comments				<div><div></div><div>Save</div><div>History</div></div>
				Comments				<div><div></div><div>Save</div><div>History</div></div>
				Status	In Progress			<div><div></div><div>Save</div><div>History</div></div>
	122141	Louisville	KY	27 Maple Street	25,000,000	20-Nov-2002	Provide automatic sprinklers in spray booth	
				Comments				<div><div></div><div>Save</div><div>History</div></div>

Fig. 10

1000

Asset Protection Services									
		Home	My Inbox	My Analysis	Search	Refresh	Help	Feedback	Logout
Number of Records: 8				Legend:		All Active			
				Approaching		Overdue		Sort Print Export	
ID	Rec ID	City	State	Address	Property Value	Date Issued	Recommendation	Send	
▼	▼	▼	▼	▼	▼	▼		□	
122141	2002-1	Louisville	KY	27 Maple Street	25,000,000	26-Mar-2002	Install sprinklers in the production control ...		
02	Risk Management Intent	Do	▼	Comments	Implement during 2004	1104	1108	1110	□
	Plant Management Intent	Do Alternate Do Not Do Hold Consider	▼	Comments		1106			Save History
	Target Date		▼	Status	Active	▼			
122141	2002-2	Louisville	KY	27 Maple Street	25,000,000	26-Mar-2003	Provide additional safety valves on boiler		
	Risk Management Intent		▼	Comments					□
	Plant Management Intent		▼	Comments					Save History
	Target Date		▼	Status	In Progress	▼			
122141	2001-6	Louisville	KY	27 Maple Street	25,000,000	20-Nov-2002	Provide automatic sprinklers in spray booth		
	Risk Management Intent		▼	Comments					□
	Plant Management Intent		▼	Comments					
	Target Date		▼	Status					

Fig. 11

(Browser Command Functionality)

Asset Protection Services

HomeMy InboxMy AnalysisSearch RefreshHelpFeedbackLogout

Num of Records

(Browser Command Functionality)

Comment History

ABC Industries, Inc.

27 Maple Street, Louisville, KY, USA, Location: 122141

1204

Print

Export

Send

Save

History

Save

History

2002-1

Date Issued: 26-Mar-2002
Type: Automatic Sprinklers – Install
Estimated Cost to Complete (USD\$): 500,000
Estimated Cost to Complete Source: Client Estimate
Estimated Annual Risk Avoidance (USD\$): 4333
Recommendation Summary: Install sprinklers in the production control room and electrical room.

1206

Status: Active
Status Date: 12 Nov 2003
Target Date:

Comment History

12 Nov 2003 13:31 EST
Risk Manager: XYZ Services
Status: Active Intent: Do
Implement during 2004

12 Nov 2003 08:25 EST
Bill Jones, Organization not available
Intent: Consigning

10 Apr 2003 00:02 EST
Bill Jones, Organization not available

1208

1202

Fig. 12

1200

Fig. 13

1300

(Email Command Functionality)	
From: Tim Johnson To: Jack Fitzpatrick cc: Subject: FW: Recommendation Response eMail 122141, Louisville KY	<p>The following recommendations have been updated or have been sent to you for review / information – 2002-1</p> <p>To view recommendation(s):</p> <p>OR</p> <ol style="list-style-type: none">1. Log onto AssetProtectionServices.com by clicking the link: https://secure.AssetProtectionServices.com.2. Click on MyRecommendations.3. Run the Recommendation Response Report on MyAnalysis for location: 122141, Louisville, KY. <p>1402</p>

1400 → *Fig. 14*

(Browser Command Functionality)

Asset Protection Services

Home

My Inbox

My Analysis

Search

Refresh

Help

Feedback

Logout

Number of Records: 8

Legend:

☒ Approaching

☐ Overdue

Sort

Print

Export

All Active

Send

ID	Rec ID	City	State	Address	Property Value	Date Issued	Recommendation
122141	2002-1	Louisville	KY	27 Maple Street	25,000,000	26-Mar-2002	Install sprinklers in the production control ...
	Risk Management Intent	Do		Comments	Implement during 2004		
	Plant Management Intent	Agree		Comments	Budget approved for 2004 implementation	1504	
	Target Date	Disagree		Status	Active		1506
122141	2002-2	Louisville	KY	27 Maple Street	25,000,000	26-Mar-2003	Provide additional safety valves on boiler
	Risk Management Intent			Comments			
	Plant Management Intent			Comments			
	Target Date	2007-Mar-2003		Status	In Progress		
122141	2001-6	Louisville	KY	27 Maple Street	25,000,000	20-Nov-2002	Provide automatic sprinklers in spray booth
	Risk Management Intent			Comments			

Fig. 15

1500

(Browser Command Functionality)

Asset Protection Services

Home

My Inbox

My Analysis

Search

Refresh

Help

Feedback

Logout

Number of Records: 8

All Active

Sort

Print

Export

Legend:

Approaching

Overdue

ID	Rec. ID	City	State	Address	Property Value	Date Issued	Recommendation	Send
122141	2002-1	Louisville	KY	27 Maple Street	25,000,000	26-Mar-2002	Install sprinklers in the production control...	
	Risk Management Intent	Do		Comments	Implement during 2004			<div><div></div><div>Save</div><div>History</div></div>
	Plant Management Intent 1602	Agree		Comments	Budget approved for 2004 implementation			<div><div></div><div>Save</div><div>History</div></div>
	Target Date	31-Dec-2004	Cal	Status	Active			1608

Calendar

Dec 2003

<<

<

=

>

>>

S

M

T

W

T

F

S

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

122141	2002-2	Louisville	KY			26-Mar-2003	Provide additional safety valves on boiler	
	Risk Management Intent							<div><div></div><div>Save</div><div>History</div></div>
	Plant Management Intent							<div><div></div><div>Save</div><div>History</div></div>
	Target Date	31-Dec-2004	Cal	Status	Active			1608

122141	2001-6	Louisville	KY			20-Nov-2002	Provide automatic sprinklers in spray booth	
	Risk Management Intent							<div><div></div><div>Save</div><div>History</div></div>

Fig. 16

1604

1606

1600

Asset Protection Services

(Browser Command Functionality)

Home

My Inbox

My Analysis

Search

Refresh

Help

Feedback

Logout

Print

Export

Send

Save

History

Save

History

Comment History

ABC Industries, Inc.
27 Maple Street, Louisville, KY, USA, Location: 122141

2002-1

Date Issues: 26-Mar-2002
Type: Automatic Sprinklers – Install
Estimated Cost to Complete (USD\$): 500,000
Estimated Cost to Complete Source: Client Estimate
Estimated Annual Risk Avoidance (USD\$): 4333
Recommendation Summary: Install sprinklers in the production control room and electrical room.

Status: Active
Status Date: 12 Nov 2003
Target Date: 31 Dec 2003

Comment History

12 Nov 2003 13:41 EST
Plant Manager, Asset Protection Services
Status: Active Intent: Agree Target Date: 31 Dec 2004
Budget approved for 2004 implementation

12 Nov 2003 13:31 EST
Risk Manager, XYZ Services
Status: Active Intent: Do
Implement during 2004

12 Nov 2003 08:25 EST
Bill Jones, Organization not available

1700

1702

Fig. 17

1700

(Browser Command Functionality)

Asset Protection Services

Number of Records: 8

Help

Home

My Inbox

My Analysis

Search

Refresh

Help

Feedback

Logout

1802

Legend:

☒ Approaching

☒ Overdue

ID	Rec ID	City	State	Address	Property Value	Date Issued	Recommendation	Save	History
122141	2002-1	Louisville	KY	27 Maple Street	25,000,000	26-Mar-2002	Install sprinkler		
							Implemented during 2004		
							Budget approved for 2004 implementation		
							Active		
122141	2002-2	Louisville	KY	27 Maple Street	25,000,000	26-Mar-2003	Provide additional safety valves on boiler		
							Implemented as Planned		
							In Progress		
122141	2001-6	Louisville	KY	27 Maple Street	25,000,000	20-Nov-2002	Provide automatic sprinklers in spray booth		
							Implemented as Planned		

Fig. 18

1800

(Browser Command Functionality)

Asset Protection Services

Home

My Inbox

My Analysis

Search

Refresh

Help

Feedback

Logout

Number of Records: 8

Legend:

Approaching

Overdue

1904

1902

1906

1908

All Active

Sort

Print

Export

Sort My Data

1. Sort my report by:

Date Issued

2. Then sort by:

None

Sort

Cancel

ID	Rec. ID	City	State	Address	Property Value	Date Issued
122141	2002-1	Louisville	KY	27 Maple Street	25,000,000	26-Mar-2004
	Risk Management Intent	Do		Comments	Implement during 2004	
	Plant Management Intent	Agree		Comments	Budget approved for 2004 implementation	
	Target Date	31-Dec-2004	Cal	Status	Active	
122141	2002-2	Louisville	KY	27 Maple Street	25,000,000	26-Mar-2003
	Risk Management Intent			Comments	Provide additional safety valves on boiler	
	Plant Management Intent			Comments		
	Target Date	29-Mar-2003		Status	In Progress	
122141	2001-6	Louisville	KY	27 Maple Street	25,000,000	20-Nov-2002
	Risk Management Intent			Comments	Provide automatic sprinklers in spray booth	

Fig. 19

1900

(Browser Command Functionality)

Asset Protection Services

Number of Records: 8

Home
My Inbox
My Analysis
Search
Refresh
Help
Feedback
Logout

Legend:
Approaching
Overdue

ID	Rec ID	City	State	Address	Property Value	Date Issued	Comments	Status	Target Date
122141	2002-1	Louisville	KY	27 Maple Street	25,000,000	26-Mar-2002	Implement during 2004	Active	
	Risk Management Intent								
	Plant Management Intent						Budget approved for 2004 implementation		
	Target Date								
122141	2002-2	Louisville	KY	27 Maple Street	25,000,000	26-Mar-2003	Provide additional safety valves on boiler		
	Risk Management Intent								
	Plant Management Intent								
	Target Date								
122141	2001-6	Louisville	KY	27 Maple Street	25,000,000	20-Nov-2002	Provide automatic sprinklers in spray booth		
	Risk Management Intent								

Export My Data

☐ CSV
 ☒ EXCEL

Export
Cancel

2104

2102

All Active

Sort

Print

Export

Save

History

Fig. 21

2100

Service Manager Functionality		(Browser Command Functionality)							
Workflow									
<input checked="" type="radio"/> Workflow1 (Risk Management will select intent before plant management)		2204							
<input type="radio"/> Workflow 2 (Plant Management will select intent before risk management)									
<input type="radio"/> Workflow3 (No workflow, e.g., either risk management or plant management can select intent first)									
Risk Management Intent		2202							
<input checked="" type="radio"/> Standard list (Do, Do Alternate, Do Not Do, Hold, Consider ...)		2206							
<input type="radio"/> Alternate list (Agree, Disagree ...)									
<input type="radio"/> Custom list									
<table border="1"><tr><td>Yes</td><td>No</td><td>May Be</td><td>Do</td><td>Do Alternate</td><td>Do Not Do</td></tr></table>		Yes	No	May Be	Do	Do Alternate	Do Not Do		
Yes	No	May Be	Do	Do Alternate	Do Not Do				
Plant Management Intent		2208							
<input checked="" type="radio"/> Standard list (Agree, Disagree ...)		2210							
<input type="radio"/> Alternate list (Do, Do Alternate, Do Not Do, Hold, Consider ...)									
<input type="radio"/> Custom List									
<table border="1"><tr><td>Yes</td><td>No</td><td>May Be</td><td>Do</td><td>Do Alternate</td><td>Do Not Do</td></tr></table>		Yes	No	May Be	Do	Do Alternate	Do Not Do		
Yes	No	May Be	Do	Do Alternate	Do Not Do				
Reminders									
<input checked="" type="checkbox"/> First reminder will be sent out at 45 days to the		Risk management & plant management							
<input checked="" type="checkbox"/> Second reminder will be sent out at 60 days to the		Risk management & plant management							
Quarterly Reminder List		Yes							

Fig. 22

2200